


AXIOM-DV-3 RFID (2U/1L Warmer)

Height: 19.7" Width: 22.2" Depth: 8.4"
(50.0cm) (56.4cm) (21.3cm)



 Server(s) sold separately

- Adjusts automatically to varying water pressure
- Automatic warmer shut-off when decanter is removed or freshness time has expired
- For high lime areas, BrewLOGIC® technology calculates flow rate and adjusts brew time to maintain consistent pot levels
- Ensure coffee quality with programming for brew level, cold brew lock-out and tank temperature, set easily from the front of the machine
- Coffee extraction controlled with programmable pre-infusion, pulse brew and digital temperature control
- Large 200oz. (5.9L) tank provides back-to-back brewing capacity
- Energy-saver mode reduces tank temperature during idle periods
- SplashGard® funnel deflects hot liquids away from the hand
- Large 200oz. (5.9L) tank provides back-to-back brewing capacity
- Dual voltage adaptable (Can operate at 120V/15 amp or 120/208-240V/20 amp)
- Tracks the age of brewed coffee
- Works with glass decanters, or thermal carafes with RFID chip
- Warmers automatically deactivate when used with thermal carafes with RFID chip
- ***Use of non-RFID accessories with RFID-enabled brewers will not result in BrewWISE benefits
- PROP 65 Warning Decal included in packaging with equipment
- Servers do not include water filter, otherwise noted



Specifications

Product #: 38700.0080

Water Access: Plumbed

Finish: Stainless

Funnel: Stainless Steel

Faucet: Upper

Warmers: Two Upper/ One Lower

Additional Features

RFID Technology

Smart Funnel Compatible

BrewWISE

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ₂ O Temp.	Phase	# Wires plus Ground	Hertz
120	15.0	1800	Yes	NEMA 5-15P	67	60°F (15.5°C)	1	2	60
120/208	16	2980	-	N/A	121	60°F (15.5°C)	1	3	60
120/240	18	3850	-	N/A	121	60°F (15.5°C)	1	3	60


*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	1/4" Male Flare Fitting	-

CAD Drawings




2D	Revit	KLC
●		

 **WARNING:** This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
11/20/2019



Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	19.7 in.	8.4	22.2 in.	24.8 in.	11.9	25.9 in.	35.150 lbs	4.401 ft ³
Metric	50.0 cm	21.3	56.4 cm	62.9 cm	30.2	65.7 cm	15.944 kgs	0.125 m ³



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
11/20/2019

Related Products & Accessories:AXIOM-DV-3 RFID (2U/1L Warmer)(38700.0080)



FILTERS,REGULAR1M
500/2 50/CL

Product #: 20115.0000



FUNNEL ASSY, SST-BLK
HDL(7.12

Product #: 20216.0000



WATER FILTER,
EQHP-10L

Product #: 39000.0001



WATER FILTER,
EQHP-10

Product #: 39000.0004



KIT RFID ASSY, HOLDER
& STRAP

Product #: 42931.1000



KIT, RFID SHIELD

Product #: 44113.1000

Serving & Holding Options: AXIOM-DV-3 RFID (2U/1L Warmer)(38700.0080)

 <p>EASY POUR®,(BLK) 1/CS</p> <p>Product #:06100.0101</p>	 <p>EASY POUR®,(BLK) 2/CS</p> <p>Product #:06100.0102</p>	 <p>EASY POUR®,(BLK) 3/CS</p> <p>Product #:06100.0103</p>	 <p>EASY POUR®,(BLK) 6/CS</p> <p>Product #:06100.0106</p>	 <p>EASY POUR®,(BLK) 12/CS</p> <p>Product #:06100.0112</p>
 <p>EASY POUR®,(BLK) 24/CS</p> <p>Product #:06100.0124</p>	 <p>EASY POUR®,(BLK) 6-1/CS</p> <p>Product #:06100.0156</p>	 <p>EASY POUR®,(ORN) 1/CS</p> <p>Product #:06101.0101</p>	 <p>EASY POUR®,(ORN) 2/CS</p> <p>Product #:06101.0102</p>	 <p>EASY POUR®,(ORN) 3/CS</p> <p>Product #:06101.0103</p>
 <p>EASY POUR®,(ORN) 6/CS</p> <p>Product #:06101.0106</p>	 <p>EASY POUR®,(ORN) 12/CS</p> <p>Product #:06101.0112</p>	 <p>EASY POUR®,(ORN) 24/CS</p> <p>Product #:06101.0124</p>	 <p>DECANTER,GLASS-BLK 12C 24/CS</p> <p>Product #:42400.0024</p>	 <p>DECANTER,GLASS-BLK 12CUP 1PK</p> <p>Product #:42400.0101</p>
 <p>DECANTER,GLASS-BLK 12C 3/CS</p> <p>Product #:42400.0103</p>	 <p>DECANTER,GLASS-ORN 12C 24/CS</p> <p>Product #:42401.0024</p>	 <p>DECANTER, GLASS-ORN 12 CUP 1PK</p> <p>Product #:42401.0101</p>	 <p>DECANTER,GLASS-ORN 12C 3/CS</p> <p>Product #:42401.0103</p>	

